

Lecture 11

Iteration

Contributions by Vinitra Swamy (<u>vinitra@berkeley.edu</u>) and Fahad Kamran (<u>fhdkmrn@berkeley.edu</u>) Slides created by John DeNero (<u>denero@berkeley.edu</u>) and Ani Adhikari (<u>adhikari@berkeley.edu</u>)

Announcements



19th International Conference on Artificial Intelligence in Education

The Festival of Learning, London, UK

June 27-30, 2018

#AIED18















Comparison Operators

The result of a comparison expression is a **bool** value



t.where(array_of_bool_values) returns a table with only the rows of t for which the corresponding bool is True.

(Demo)

Aggregating Comparisons

Summing an array or list of bool values will count the True values only.

```
1 + 0 + 1 == 2
True + False + True == 2
sum([1 , 0 , 1 ]) == 2
sum([True, False, True]) == 2
(Demo)
```

Predicates

(Demo)

Appending Arrays

A Longer Array

• np.append(array_1, value)

- o array with value appended to array_1
- value has to be of the same type as elements of array_1
- np.append(array_1, array_2)
 - array with array_2 appended to array_1
 - array_2 elements must have the same type as array_1 elements (Demo)

Random Selection

Random Selection

np.random.choice

- Selects uniformly at random
- with replacement
- from an array,
- a specified number of times

Control Statements

Control Statements

These statements *control* the sequence of computations that are performed in a program

- The keywords **if** and **for** begin control statements
- The purpose of **if** is to define functions that choose different behavior based on their arguments
- The purpose of **for** is to perform a computation for every element in a list or array

(Demo)